

*Prof. Dr. med. W. Eggert-Kruse
Abt. für Gynäkologische Endokrinologie
& Fertilitätsstörungen Abt. 4.2
Frauenklinik der Universität Heidelberg
Im Neuenheimer Feld 440
69120 Heidelberg*

VERZEICHNIS DER PUBLIKATIONEN

(nur PubMed gelistete Pub.)

[Recurrent miscarriages, innate immunity and autoimmune reaction to chlamydial 60kDa heat shock protein \(HSP\) – is there an association?](#)

Eggert-Kruse W, Scholz S, Kirschfink M, Strowitzki T.

Fertil Steril 2014, June; 101 (6):1675-80. doi: 10.1016/j.fertnstert.2014.02.048. Epub 2014 Mar 26.

[Male immunity to the chlamydial 60 kDa heat shock protein \(HSP 60\) - associated with semen quality?](#)

Eggert-Kruse W, Batschulat K, Demirakca T, Strowitzki T.

Andrologia. 2015 Feb;47(1):66-76. doi: 10.1111/and.12224. Epub 2014 Jan 10.

[Presence of DNA of adeno-associated virus in subfertile couples, but no association with fertility factors.](#)

Schlehofer JR, Boeke C, Reuland M, **Eggert-Kruse W**.

Hum Reprod. 2012 Mar;27(3):770-8. doi: 10.1093/humrep/der427. Epub 2012 Jan 2.

[Medical history screening for thrombophilic risk: is this adequate?](#)

Eggert-Kruse W, Ziegler A, Horlbeck S, Strowitzki T.

Fertil Steril. 2011 May;95(6):1917-21. doi: 10.1016/j.fertnstert.2011.02.053. Epub 2011 Mar 27.

Are chlamydial lipopolysaccharide-directed antibodies in seminal plasma or serum clinically significant during investigation of male infertility?

Eggert-Kruse W, Weltin M, Strowitzki T.

Urology. 2011 May;77(5):1101-6. doi: 10.1016/j.urology.2010.11.014. Epub 2011 Feb 18.

Cytomegalovirus (CMV) infection--related to male and/or female infertility factors?

Eggert-Kruse W, Reuland M, Johannsen W, Strowitzki T, Schlehofer JR.

Fertil Steril. 2009 Jan;91(1):67-82. doi: 10.1016/j.fertnstert.2007.11.014. Epub 2008 Feb 20.

Clinical relevance of polymorphonuclear (PMN-) elastase determination in semen and serum during infertility investigation.

Eggert-Kruse W, Zimmermann K, Geissler W, Ehrmann A, Boit R, Strowitzki T.

Int J Androl. 2009 Aug;32(4):317-29. doi: 10.1111/j.1365-2605.2007.00852.x. Epub 2008 Jan 10.

Role for tumor necrosis factor alpha (TNF-alpha) and interleukin 1-beta (IL-1beta) determination in seminal plasma during infertility investigation.

Eggert-Kruse W, Kiefer I, Beck C, Demirakca T, Strowitzki T.

Fertil Steril. 2007 Apr;87(4):810-23.

Prevalence of Chlamydia trachomatis in subfertile couples.

Eggert-Kruse W, Rohr G, Kunt B, Meyer A, Wondra J, Strowitzki T, Petzoldt D.

Fertil Steril. 2003 Sep;80(3):660-3.

C3 in seminal plasma has no additional informative value in the diagnosis of infection/inflammation of the male genital tract.

Boit R, Petzoldt D, Klinga K, Eggert-Kruse W.

Andrologia. 2003 Apr;35(2):93-9.

High resolution proton magnetic resonance spectroscopy of human cervical mucus.

Sahrbacher U, Pehlke-Rimpf A, Rohr G, **Eggert-Kruse W**, Kalbitzer HR.

J Pharm Biomed Anal. 2002 Jun 1;28(5):827-40.

Seminal antibodies to human 60kd heat shock protein (HSP 60) in male partners of subfertile couples.

Eggert-Kruse W, Neuer A, Clussmann C, Boit R, Geissler W, Rohr G, Strowitzki T.

Hum Reprod. 2002 Mar;17(3):726-35.

Are zinc levels in seminal plasma associated with seminal leukocytes and other determinants of semen quality?

Eggert-Kruse W, Zwick EM, Batschulat K, Rohr G, Armbruster FP, Petzoldt D, Strowitzki T.

Fertil Steril. 2002 Feb;77(2):260-9.

Relationship of seminal plasma interleukin (IL) -8 and IL-6 with semen quality.

Eggert-Kruse W, Boit R, Rohr G, Aufenanger J, Hund M, Strowitzki T.

Hum Reprod. 2001 Mar;16(3):517-28.

Antimicrobial activity of human cervical mucus.

Eggert-Kruse W, Botz I, Pohl S, Rohr G, Strowitzki T.

Hum Reprod. 2000 Apr;15(4):778-84.

Herpes simplex virus infection of the uterine cervix--relationship with a cervical factor?

Eggert-Kruse W, Mildenberger-Sandbrink B, Schnitzler P, Rohr G, Strowitzki T, Petzoldt D.

Fertil Steril. 2000 Feb;73(2):248-57.

Chlamydia trachomatis: impact on human reproduction.

Paavonen J, Eggert-Kruse W.

Hum Reprod Update. 1999 Sep-Oct;5(5):433-47. Review.

Genital tract infection and infertility. Preface.

Eggert-Kruse W.

Hum Reprod Update. 1999 Sep-Oct;5(5):391-2.

Immunological aspects of male accessory gland infections.

Eggert-Kruse W, Boit R, Clussmann C, Strowitzki T, Petzoldt D.

Andrologia. 1999 Sep;31(5):311-4.

Antisperm antibodies and microorganisms in genital secretions--a clinically significant relationship?

Eggert-Kruse W, Rohr G, Probst S, Rusu R, Hund M, Demirakca T, Aufenanger J, Runnebaum B, Petzoldt D.

Andrologia. 1998;30 Suppl 1:61-71.

Chlamydial serology in 1303 asymptomatic subfertile couples.

Eggert-Kruse W, Rohr G, Demirakca T, Rusu R, Näher H, Petzoldt D, Runnebaum B.

Hum Reprod. 1997 Jul;12(7):1464-75.

Antibodies to chlamydia trachomatis in semen and relationship with parameters of male fertility.

Eggert-Kruse W, Buhlinger-Gopfarth N, Rohr G, Probst S, Aufenanger J, Naher H, Runnebaum B.

Hum Reprod. 1996 Jul;11(7):1408-17.

Induction of immunoresponse by subclinical male genital tract infection?

Eggert-Kruse W, Probst S, Rohr G, Tilgen W, Runnebaum B.

Fertil Steril. 1996 Jun;65(6):1202-9.

The Acridine Orange test: a clinically relevant screening method for sperm quality during infertility investigation?

Eggert-Kruse W, Rohr G, Kerbel H, Schwalbach B, Demirakca T, Klinga K, Tilgen W, Runnebaum B.

Hum Reprod. 1996 Apr;11(4):784-9.

Sperm morphology assessment using strict criteria and male fertility under in-vivo conditions of conception.

Eggert-Kruse W, Schwarz H, Rohr G, Demirakca T, Tilgen W, Runnebaum B.

Hum Reprod. 1996 Jan;11(1):139-46.

Immunological aspects of subfertility.

Eggert-Kruse W, Rohr G, Böckem-Hellwig S, Huber K, Christmann-Edoga M, Runnebaum B.

Int J Androl. 1995 Dec;18 Suppl 2:43-52.

NMR spectroscopy in andrology: research uses and possible clinical applications.

Rohr G, **Eggert-Kruse W**, Kalbitzer HR.

Int J Androl. 1995 Dec;18 Suppl 2:12-9. Review.

Screening for subclinical inflammation in ejaculates.

Eggert-Kruse W, Probst S, Rohr G, Aufenanger J, Runnebaum B.

Fertil Steril. 1995 Nov;64(5):1012-22.

Anaerobes in ejaculates of subfertile men.

Eggert-Kruse W, Rohr G, Ströck W, Pohl S, Schwalbach B, Runnebaum B.

Hum Reprod Update. 1995 Sep;1(5):462-78.

Clinical relevance of sperm morphology assessment using strict criteria and relationship with sperm-mucus interaction in vivo and in vitro.

Eggert-Kruse W, Reimann-Andersen J, Rohr G, Pohl S, Tilgen W, Runnebaum B.

Fertil Steril. 1995 Mar;63(3):612-24.

[Hormone profile of elderly women and potential modifiers].

Eggert-Kruse W, Kruse W, Rohr G, Müller S, Kreissler-Haag D, Klinga K, Runnebaum B.

Geburtshilfe Frauenheilkd. 1994 Jun;54(6):321-31.

Evaluation of polyacrylamide gel as substitute for human cervical mucus in the sperm penetration test.

Eggert-Kruse W, Schwalbach B, Rohr G, Klinga K, Tilgen W, Runnebaum B.

Fertil Steril. 1993 Sep;60(3):540-9.

Determination of antisperm antibodies in serum samples by means of enzyme-linked immunosorbent assay--a procedure to be recommended during infertility investigation?

Eggert-Kruse W, Huber K, Rohr G, Runnebaum B.

Hum Reprod. 1993 Sep;8(9):1405-13.

Antisperm antibodies in cervical mucus in an unselected subfertile population.

Eggert-Kruse W, Böckem-Hellwig S, Doll A, Rohr G, Tilgen W, Runnebaum B.

Hum Reprod. 1993 Jul;8(7):1025-31.

Compliance and adverse drug reactions: a prospective study with ethinylestradiol using continuous compliance monitoring.

Kruse W, **Eggert-Kruse W**, Rampmaier J, Runnebaum B, Weber E.

Clin Investig. 1993 Jun;71(6):483-7.

The pH as an important determinant of sperm-mucus interaction.

Eggert-Kruse W, Köhler A, Rohr G, Runnebaum B.

Fertil Steril. 1993 Mar;59(3):617-28.

Differentiation of round cells in semen by means of monoclonal antibodies and relationship with male fertility.

Eggert-Kruse W, Bellmann A, Rohr G, Tilgen W, Runnebaum B.

Fertil Steril. 1992 Nov;58(5):1046-55.

The effect of heavy metals on the in vitro interaction between human sperm and cervical mucus.

Eggert-Kruse W, Rohr G, Jochum R, Adolph M, Runnebaum B.

Dtsch Med Wochenschr. 1992 Sep 11;117(37):1383-9.

Biochemical analysis of cervical mucus by nuclear magnetic resonance spectroscopy.

Rohr G, **Eggert-Kruse W**, Pehlke A, Sahrbacher U, Runnebaum B, Kalbitzer HR.

Hum Reprod. 1992 Aug;7(7):915-7.

Clinical data which influence semen parameters in infertile men.

Gerhard I, Lenhard K, **Eggert-Kruse W**, Runnebaum B.

Hum Reprod. 1992 Jul;7(6):830-7.

Routine hormone load tests are unnecessary in infertile men.

Gerhard I, Lenhard HK, **Eggert-Kruse W**, Runnebaum B.

Andrologia. 1992 Jul-Aug;24(4):219-26.

Local and systemic humoral immune response to protein I of Neisseria gonorrhoeae.

Kohl PK, Kratofiel M, Görner R, Kunze F, Senf-Blum A, **Eggert-Kruse W**, Gerhard I, Hoferer E, Petzoldt D.

Hautarzt. 1992 Jun;43(6):352-8.

Microbial colonization and sperm--mucus interaction: results in 1000 infertile couples.

Eggert-Kruse W, Pohl S, Näher H, Tilgen W, Runnebaum B.

Hum Reprod. 1992 May;7(5):612-20.

Hormone load tests in infertile male patients.

Gerhard I, Lenhard HK, **Eggert-Kruse W**, Runnebaum B.

Arch Androl. 1991 Nov-Dec;27(3):129-47.

Influence of serum prolactin on semen characteristics and sperm function.

Eggert-Kruse W, Schwalbach B, Gerhard I, Tilgen W, Runnebaum B.

Int J Fertil. 1991 Jul-Aug;36(4):243-51.

Thyroid and ovarian function in infertile women.

Gerhard I, Becker T, **Eggert-Kruse W**, Klinga K, Runnebaum B.

Hum Reprod. 1991 Mar;6(3):338-45.

Thyrotropin-releasing hormone (TRH) and metoclopramide testing in infertile women.

Gerhard I, **Eggert-Kruse W**, Merzoug K, Klinga K, Runnebaum B.

Gynecol Endocrinol. 1991 Mar;5(1):15-32.

Relationship between local anti-sperm antibodies and sperm-mucus interaction in vitro and in vivo.

Eggert-Kruse W, Hofstass A, Haury E, Tilgen W, Gerhard I, Runnebaum B.

Hum Reprod. 1991 Feb;6(2):267-76.

Dosage frequency and drug-compliance behaviour--a comparative study on compliance with a medication to be taken twice or four times daily.

Kruse W, **Eggert-Kruse W**, Rampmaier J, Runnebaum B, Weber E.

Eur J Clin Pharmacol. 1991;41(6):589-92.

Value of endometrial biopsies and serum hormone determinations in women with infertility.

Gerhard I, Bechthold E, **Eggert-Kruse W**, Heberling D, Runnebaum B.

Hum Reprod. 1990 Nov;5(8):906-14.

The use of hens' egg white as a substitute for human cervical mucus in assessing human infertility.

Eggert-Kruse W, Gerhard I, Tilgen W, Runnebaum B.

Int J Androl. 1990 Aug;13(4):258-66.

Chlamydial infection--a female and/or male infertility factor?

Eggert-Kruse W, Gerhard I, Näher H, Tilgen W, Runnebaum B.

Fertil Steril. 1990 Jun;53(6):1037-43.

Effects of kallikrein on sperm motility, capillary tube test, and pregnancy rate in an AIH program.

Gerhard I, Roth B, **Eggert-Kruse W**, Runnebaum B.

Arch Androl. 1990;24(2):129-45.

Compliance with short-term high-dose ethinyl oestradiol in young patients with primary infertility. New insights from the use of electronic devices.

Kruse W, **Eggert-Kruse W**, Rampmaier J, Runnebaum B, Weber E.

Agents Actions Suppl. 1990;29:105-15.

Clinical significance of crossed in vitro sperm-cervical mucus penetration test in infertility investigation.

Eggert-Kruse W, Gerhard I, Tilgen W, Runnebaum B.

Fertil Steril. 1989 Dec;52(6):1032-40.

Circulating antisperm antibodies and fertility prognosis: a prospective study.

Eggert-Kruse W, Christmann M, Gerhard I, Pohl S, Klinga K, Runnebaum B.

Hum Reprod. 1989 Jul;4(5):513-20.

Topical one-time therapy with ketoconazole: a double-blind randomized study in vaginal mycosis.

Gerhard I, Ohlhorst D, **Eggert-Kruse W**, Runnebaum B.

Mycoses. 1989 May;32(5):253-65.

Relationship of sperm acrosin activity to semen and clinical parameters in infertile patients.

Gerhard I, Fröhlich E, **Eggert-Kruse W**, Klinga K, Runnebaum B.

Andrologia. 1989 Mar-Apr;21(2):146-54.

Prognostic value of in vitro sperm penetration into hormonally standardized human cervical mucus.

Eggert-Kruse W, Leinhos G, Gerhard I, Tilgen W, Runnebaum B.

Fertil Steril. 1989 Feb;51(2):317-23.

Significance of Chlamydia trachomatis for female fertility with special reference to prevalence in the endometrium.

Eggert-Kruse W, Gerhard I, Näher H, Tinnes G, von Holst T, Runnebaum B.

Geburtshilfe Frauenheilkd. 1988 Dec;48(12):869-75.

Effects of antimicrobial therapy on sperm-mucus interaction.

Eggert-Kruse W, Hofmann H, Gerhard I, Bilke A, Runnebaum B, Petzoldt D.

Hum Reprod. 1988 Oct;3(7):861-9.

Pulsatile gonadotrophin releasing hormone therapy in patients with hyperandrogenaemia or hypothalamic amenorrhoea.

Gerhard I, Hudea NH, **Eggert-Kruse W**, Runnebaum B.

Hum Reprod. 1988 Oct;3(7):835-43.

Influence of microbial colonization on sperm-mucus interaction in vivo and in vitro.

Eggert-Kruse W, Gerhard I, Hofmann H, Runnebaum B, Petzoldt D.

Hum Reprod. 1987 May;2(4):301-8.

Double-blind controlled trial of progesterone substitution in threatened abortion.

Gerhard I, Gwinner B, **Eggert-Kruse W**, Runnebaum B.

Biol Res Pregnancy Perinatol. 1987;8(1):26-34.

5MHz realtime sonography of the breast. 2. Examination technic and diagnostic value.

Teubner J, van Kaick G, Junkermann H, Pickenhan L, Wesch H, **Eggert-Kruse W**, Müller A, Tschahargane C, von Fournier D, Kubli F.

Radiologe. 1985 Oct;25(10):457-67.